

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L3 | 364 | (712/221).CCLS. | US-PGPUB; USPAT; USOCR; IBM_TDB | OR | OFF | 2006/02/18 16:40 |
| S1 | 2406 | "address generation" WITH (unit OR stage) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:17 |
| S2 | 1316 | "address generation" NEAR2 (unit OR stage) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 15:16 |
| S3 | 111 | "address generation".TI. | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 15:51 |
| S4 | 844 | (address NEAR2 generat\$4) SAME (add OR addition) SAME (shift) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | ON | 2006/02/15 15:53 |
| S5 | 486 | (address NEAR2 generat\$4) SAME ((add OR addition) WITH (shift)) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | ON | 2006/02/15 15:53 |
| S6 | 961 | (address NEAR2 generat\$4) SAME ((add\$3 OR addition) WITH (shift\$3)) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | ON | 2006/02/15 15:53 |
| S7 | 504 | (address NEAR2 generat\$4) SAME ((add\$3 OR addition) WITH (shift\$3) WITH (operand OR data OR register)) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | ON | 2006/02/15 15:54 |
| S8 | 228 | S7 AND "7"??CLAS. | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | ON | 2006/02/15 15:55 |
| S9 | 16 | "addressing mode 2" | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:18 |
| S10 | 264 | ARM with addressing | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:23 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|-----|------------------|
| S11 | 45 | S10 and "7"??CLAS. | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:20 |
| S12 | 298 | (thumb OR ARM) with addressing | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:24 |
| S13 | 54 | S12 and "7"??clas. | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:24 |
| S14 | 0 | shift\$4 with "adressing mode\$1" | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:25 |
| S15 | 0 | shift\$4 with "adressing mode" | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:25 |
| S16 | 29 | shift\$4 with (addressing modes\$1) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/15 19:25 |
| S17 | 988 | (bypass\$4 OR skip\$4) ADJ2 shift\$4 | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/16 15:18 |
| S19 | 52 | ((bypass\$4 OR skip\$4) ADJ2 shift\$4) SAME address\$4 | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/16 15:39 |
| S20 | 1 | "20010056451" | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/16 15:42 |
| S21 | 1 | "6795841" | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/16 15:40 |
| S22 | 988 | (bypass\$4 OR skip\$4) ADJ2 shift\$4 | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/16 15:44 |
| S23 | 311 | S22 AND "7"??CLAS. | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/16 15:44 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|-----|------------------|
| S24 | 6 | 2-bit shift WITH ALU | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/17 10:07 |
| S25 | 13 | ((two OR "2") bit\$1) NEAR2 (rotate OR shift) WITH ALU | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/17 10:08 |
| S26 | 27 | ((two OR "2") bit\$1) NEAR2 (rotat\$4 OR shift\$4) WITH ALU | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/17 10:12 |
| S27 | 239 | ((two OR "2") bit\$1) NEAR2 (rotat\$4 OR shift\$4) WITH (adder OR ALU) | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/17 10:30 |
| S28 | 1166 | (rotat\$4 OR shift\$4) WITH (adder OR ALU) with address\$4 | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/17 10:30 |
| S29 | 204 | S28 AND predetermin\$4 WITH shift\$3 | US-PGPUB; USPAT; USOCR; IBM_TDB | ADJ | OFF | 2006/02/17 10:31 |